

MACHINE DESIGN

Index to Volume 20, January to December 1948

Author Index

- Armitage, J. B.—"Straight-Sided Splines,"* Aug. p.101
 Armstrong, John H.—"Ball Release Mechanism," Nov. p.95
 Arnold, R. E.—"When You Design—In Shell Type Motors," Apr. p.157
 Ashton, Benjamin N.—"Designing for Economical Manufacture," Feb. p.101
 Bachelor, A. T.—"Assures Accurate Positioning," May p.144
 Bailey, Charles and David Boyd—"Channel-Grid Stiffener System," Aug. p.118
 Baker, J. G.—"Elastic Matching Improves Bearing Life," May p.106
 Balleisen, Charles E.—"Analyzing Graphical Records," June p.145
 Bariffi, Herbert F.—"Offset Pivot Reduces Sector Gear Noise," June p.131
 Baxter, M. L., Jr.—"Cam Curvature Formulas" (Data Sheet), Feb. p.159
 Berkol, Roland J. and Stanley P. Watkins—"Which Wrought Stainless Steel?" Part I—"Properties and Processability," Mar. p.107; Part II—"Fitting the Material to the Part," Apr. p.174
 Bloomfield, B.—"Designing Tapered Gears," Mar. p.125
 Bolz, H. A.—"A Design for Morale in the Engineering Department," Aug. p.89
 Bolz, Roger W.—"Production Processes, Their Influence on Design," Part XXXI—"Automatic and Shape Turnings," Feb. p.129; Part XXXII—"Production Grinding," Mar. p.135; Part XXXIII—"Production Grinding, Design Factors," May p.111; Part XXXIV—"Honing and Lapping," June p.133; Part XXXV—"Superfinishing," July p.119; Part XXXVI—"Hot Extrusion of Metals," Aug. p.107; Part XXXVII—"Cold Drawing," Sept. p.129; Part XXXVIII—"Spot Welding," Nov. p.127; Part XXXIX—"Seam Welding," Dec. p.115
 Boyd, David and Charles Bailey—"Channel-Grid Stiffener System," Aug. p.118
 Boyd, John—"Studying Lubrication,"* Aug. p.104
 Brown, Norman N.—"Steels and Their Treatment," Part I—"Selection," Oct. p.87; Part II—"Conditioning Processes," Nov. p.110
 Browne, L. H.—"Various Strokes and Speeds from Common Shaft," Apr. p.117
 Brunken, R. and W. Howard—"Single-Stage Torque Converters," Apr. p.155
 Carmichael, Colin—"Planetary Gear Calculations" (Data Sheet), Mar. p.165
 Clark, R. H.—"High-Speed Cycling," Apr. p.101
 Carliss, O. S.—"New Dial Scale," Nov. p.149
 Collinsworth, E. T., Jr.—"How To Combat Corrosion through Design," Part I—"Causes of Corrosion," Feb. p.116; Part II—"Design Measures," Mar. p.142
 Crede, Charles E.—"Determining Moment of Inertia," Aug. p.138
 Cunningham, Chester E.—"Mechanical Vibration Recorder," Jan. p.133
 Conway, H. G.—"Inverted Relief Valves," May p.129
 Dooley, James L.—"Controlling Pneumatic Cylinders," Apr. p.119
 Elbert, R. S.—"Air Jets... their characteristics for gaging devices," Jan. p.111
 Erickson, James L.—"How to Design Pressure Moldings," Sept. p.118
 Ewald, Warren—"Relay Prevents Short Cycling," Aug. p.106
 Etherington, H.—"Atomic Power for Industry," July p.91
 Famme, Joseph H. and Harvey F. Gerwig—"Why Pneumatics?" Part I—"System and Equipment," June p.116; Part II—"Development and Research," July p.138
 Faust, and Wm. H. Safranek—"Platings for Machine Parts," Nov. p.145
 Flick, Frank—"Hydraulic Seals, Selecting Sliding Types," Nov. p.139
 Fuchs, Henry O.—"Trapped Stresses," July p.114
 Furfari, F. A.—"Provides Automatic Load Control," Nov. p.109
 Geptert, J. H.—"Differential Registers Synchronous Speed," Apr. p.115
 Gerstenmaier, John H.—"How To Design Molded and Extruded Rubber Parts," Aug. p.115
 Gerwig, Harvey F. and Joseph H. Famme—"Why Pneumatics?" Part I—"System and Equipment," June p.116; Part II—"Development and Research," July p.138
 Gibson, W. B.—"Three-State Torque Converters," Apr. p.152
 Gorman, W. J. Jr.—"Utilizing Selsyns in Machines," Mar. p.116
 Gotberg, Harry H.—"Broaching Spline Shafts and Fittings,"* Aug. p.102
 Graham, L. A.—"Twelve Years To Discover the Obvious," Sept. p.107
 Grether, Walter F.—"Designing Instrument Dials," June p.150
 Guins, Sergei G.—"Modified Approach Permits Flexible Planetary Design," Sept. p.141
 Guins, V. G. and G. H. Heiser—"Disk Stresses," Feb. p.144
 Gutman, Alfred S.—"Eliminating Vibration in High-Speed Machines," Oct. p.118
 Hall, A. S.—"Mechanism Proportion Calculation," Feb. p.111
 Hammer, C. F.—"Assures Maximum Braking Effort," Apr. p.116
 Hammond, W. E.—"Reduction and Reversing Drives for Gas Turbines," Feb. p.149
 Hart, L. P., Jr.—"Adhesives... their properties and use in electrical equipment," Jan. p.122
 Harvey, M. E.—"Model Analysis Aids Designer," Jan. p.120
 Heiser, G. H. and V. G. Guins—"Disk Stresses," Feb. p.144
 Heil, G. R.—"Co-ordinating Design and Manufacture," Nov. p.117
 Heltterline, Leo—"Motor Speed Control" (saturable-core reactor), Sept. p.137
 Herchenroeder, L. W.—"Choosing a DC Power Source," June p.140
 Hill, T. C. and E. G. Riley—"Two-Pressure Aircraft Hydraulic System," Feb. p.123
 Howard, W. and R. Brunken—"Single-Stage Torque Converters," Apr. p.155
 Howarth, H. A. S.—"Load Capacity and Friction of Pivoted-Shoe Bearings," (Data Sheet), Part I—"Thrust Bearings," July p.151; Part II—"Journal Bearings," Aug. p.149
 Howell, R. C. and M. E. Mundel—"Applying Time and Motion Study Principles in Design," Aug. p.121
 Hrones, John A.—"Dynamic Forces in Cam Mechanisms," Jan. p.135
 Immel, R. B.—"Interlocks... protect machines," Apr. p.131
 Jobst, Conrad—"Ball Bearing Slides," Jan. p.138
 Johnson, Curt I.—"A New Approach to Spring Design," Aug. p.98
 Kendall, Julius—"Hydraulic System Designed as Package," Apr. p.181
 Ketcham, Howard—"Appearance Starts with Color," Sept. p.99
 Koerner, P. A.—"Aluminum Furnace Brazing," Sept. p.128
 Leopold, W.—"Rotating Disks at High Temperatures," Dec. p.141
 LeTourneau, R. G.—"New Differential Insures Drive-Wheel Traction," July p.143
 Lewis, Clayton R. and A. F. Underwood—"Designating Surface Roughness," Dec. p.137
 Linderroth, L. S., Jr.—"Selecting Hydraulic Pressure Control Valves," Apr. p.105
 Lofgren, Kenneth E.—"Calculating Deflection of Curved Beams," Nov. p.121
 Lotz, Richard K.—"Kirby, the Man behind Less Work in the Home," July p.106
 Mabie, H. H.—"Constant Velocity Joints," May p.101
 Mall, A. W.—"Aluminum Cylinders Increase Power, Decrease Weight," Nov. p.136
 Martin, Louis D.—"Designing Instrument Gearing," Apr. p.163
 Mattes, H. L. and W. O. Sweeney—"Investment Castings," May p.91
 Maxon, C. R.—"Cores in Die Casting Design,"* Aug. p.105
 Mazia, Joseph—"Finishes for Machine Parts," Oct. p.125
 McWhorter, J. F.—"Comparing Rubbers," Feb. p.138
 Mecklenborg, R. H.—"Time Control Mechanisms," July p.132
 Mikulak, J.—"Designing for Welding," Sept. p.147
 Mundel, M. E. and R. C. Howell—"Applying Time and Motion Study Principles in Design," Aug. p.121
 Murray, A. F.—"Cutting Production Costs? Watch Design Details," May p.126
 Nachod, Carl P.—"Calculating Deflections of Hollow Shafts in Torsion" (Data Sheet), May p.151
 Norcross, G. F.—"Design Innovations in Yarn Spinner," Oct. p.108
 Nowland, Roger L.—"Predesign Research," Oct. p.96
 Oplinger, K. A.—"Gyroscopes and Their Applications," July p.101
 Osborn, H. B., Jr.—"Induction Heating Possibilities,"* Aug. p.176
 Patterson, Albert M.—"Program Controls... a guide to their selection," May p.137
 Peery, Walter E.—"High Voltages in Electronics," June p.123
 Penfold, Norman C.—"What Recent Research Offers the Designer," June p.107
 Pierce, D. L.—"Redesigning To Withstand Shock," Aug. p.127
 Pond, Ronald F.—"Selecting Protective Finishes for Springs," Dec. p.128
 Porter, Frederic P.—"Torsional Vibration Frequency Calculation," Jan. p.153
 Prior, T. W.—"Selecting Engineering Personnel," Dec. p.133
 Rappaport, Sigmund—"A Neglected Design Detail," Sept. p.140
 Reese, H. M.—"Hydraulic Circuit Analysis," Mar. p.149
 Reich, Robert A.—"Projection Welding of Fasteners,"* Aug. p.104
 Roberts, J. A.—"Indicates Speed from Hydraulic Circuit," Apr. p.114
 Riley, E. G. and T. C. Hill—"Two-Pressure Aircraft Hydraulic System," Feb. p.123
 Roos, P. K. and J. A. Sauer—"Obtaining Fatigue-Test Data," Oct. p.115
 Rosebrough, John D.—"Variable-Speed Fluid Drives," Apr. p.149
 Rounds, Thomas E.—"Superprecision Ball Bearings," Part I—"Selection for Design and Type," Nov. p.103; Part II—"Selection for Grade of Accuracy and Speed," Dec. p.122
 Ruhl, Fremont F.—"High-Temperature Face Seals," Jan. p.127
 Rutemiller, Oren G.—"Provides Accurate Cut-Off Control," June p.122
 Ryckman, George E.—"Adjustable Drive Utilizes Flexible Shafts," Apr. p.113
 Sauer, J. A. and P. K. Roos—"Obtaining Fatigue-Test Data," Oct. p.115
 Safranek, Wm. H. and C. L. Faust—"Platings for Machine Parts," Nov. p.145
 Schmitter, Walter P.—"Engineering Education... is joint responsibility," Sept. p.123
 Schwarz-Kast, E. L.—"Variable-Speed Drives," Apr. p.169
 Sherriff, Fred—"Built-In Overload Protection for Control Valve," Apr. p.180

* Denotes short articles of less than one page.

Slaymaker, Philip K.—"Analyzing Circular-Arc Cams," July p.129
 Snyder, F. D.—"Controlled Braking of Motor-Driven Machines," Dec. p.125
 Spence, Hubert L.—"Developing the Standard Car Coupler," Aug. p.100
 Starnard, Charles H.—"Involute Spline Experiences,"* Aug. p.102
 Stewart, W. C.—"Bolted Assemblies," Mar. p.153
 Stolze, G. A.—"Investment Castings," Aug. p.139
 Storatz, G. J.—"How Trailblazer Units Were Designed for Arc Welding," Jan. p.143
 Studders, R. J.—"Permanent Magnets in Design," Oct. p.111
 Sutherland, Charles R.—"A Plan for Engineering Accomplishment," Sept. p.112
 Sutton, George P.—"Rocket Motors, practical design problems," Dec. p.101
 Swartz, J. H.—"Nonmetallic Diaphragms, . . . their design and application," June p.153
 Sweeney, W. O. and H. L. Mattes—"Investment Castings," May p.91
 Tabakman, H. D.—"Ring Deflection Calculations," Mar. p.131
 Talbourdet, G. J.—"Intermittent Mechanisms,"* Aug. p.98

"Intermittent Mechanisms" (Data Sheet), Part I, Sept. p.159; Part II, Oct. p.135; Part III, Nov. p.159
 Taylor, Norman W.—"Simplified Dimensioning System," Feb. p.135
 Temin, J. T.—"Designing for Induction Hardening," Aug. p.178
 Templin, R. L.—"Development of a High-Speed Lathe," Jan. p.140
 Trundle, George T., Jr.—"Engineering Department Functions and Organization," July p.125
 Underwood, Arthur F. and C. R. Lewis—"Designating Surface Roughness," Dec. p.137
 Vessey, Philip W.—"Sequence Control Uses Endless Belt," Apr. p.130
 Watkins, Stanley P. and Roland J. Berkol—"Which Wrought Stainless Steel?" Part I—"Properties and Processability," Mar. p.107; Part II—"Fitting the Material to the Part," Apr. p.174
 White, Roger—"Design of Glass-Reinforced Plastic Parts," Oct. p.103
 Wightman, L. W.—"Air-Driven Spinners," May p.121
 Wilson, Warren E.—"Hydraulic Clutches of the Positive Displacement Type," Jan. p.115
 Wohlberg, George—"Gear Noise," Aug. p.133
 Wright, H. D.—"Low-Torque Potentiometers," May p.134
 Zamis, Anthony F.—"Hubs for Spline Shafts,"* Aug. p.103

Subject Index

A

Air compressors (see Compressors)
 Air cylinders (see Cylinders)
 Accumulator diaphragms, selection of, June p.158
 Accumulators in pneumatic systems, discussion of, June p.119
 Actuator, hydraulic, positive locking,* Dec. p.184
 Actuator, solenoid, push-pull (Phillips Control Corp.),* Aug. p.156
 Adhesion of rubber to metal, discussion of, Aug. p.116
 Adhesives:
 cold-setting (Schwartz Chemical Co.),* Oct. p.143
 discussion of in electrical equipment, Jan. p.122
 modified phenolic (General Electric),* Apr. p.192
 silicone rubber type, G-E 12509 (General Electric),* Mar. p.172
 Adsorber, gas, air-line (W. B. Connor Engineering Corp.),* Oct. p.141
 Air jets for gaging devices, discussion of, Jan. p.111
 Air-mercury sizing used on grinders (Scanning),* June p.115
 Air separator (Chicago Mfg.),* Mar. p.174
 Aircraft hydraulic system, two-pressure type, Feb. p.123
 Alternator, packaged (Electric Machinery Mfg.),* Feb. p.166
 Aluminum:
 crane structure made of, July p.131
 motor frame of (Applications),* June p.164
 production increased sevenfold (Topics),* Aug. p.86
 sheet, embossed (Reynolds Metals Co.),* May p.164
 sheet, plated (American Nickeloid Co.),* Aug. p.162
 space heater burner (Scanning),* Jan. p.110
 used in Ford cars (Topics),* Aug. p.86
 ASME Machine Design meeting highlights, Jan. p.135
 ASME Milwaukee meeting, abstracts from, Aug. p.98
 Amplidyne, electronic (General Electric),* June p.169
 Amplifier uses diamond crystal (Scanning),* Mar. p.103
 Analogy chart aids design,* Sept. p.146
 Annealing of steels, discussion of, Nov. p.111
 Anodizing by "mass" process used for aluminum rivets (Topics),* Aug. p.86
 Anti-reversing device, mechanical (Falk Corp.),* May p.156
 Appearance improved by color choice, discussion of, Sept. p.99
 Arc template, large radius (Arcmeter Co.),* June p.184
 Atom smasher, electrostatic, made by General Electric (Topics),* Jan. p.98
 Atomic power for industry, discussion of, July p.91
 Autofrettage, discussion of, July p.116
 Automobile weight reduction (Abstracts), Feb. p.202

B

Ball bearing slides, discussion of, Jan. p.138
 Balls, sapphire, polished (Linde Air Products Co.),* June p.174
 Balls, steel, precision (Atlas Ball Div., SKF),* May p.162
 Balls used for pump-impeller keys (Applications),* June p.164
 Batteries, storage, nickel-cadmium, retain charge (Topics),* Nov. p.92
 Beams, curved, calculating deflection of, Nov. p.121
 Bearing-rating machine, discussion of (Scanning),* Feb. p.109
 Bearings:
 Jewel, shock-resistant, discussion of (Scanning),* June p.113
 magnetic, used in new meter, June p.143
 pivoted-shoe, capacity of (Data Sheet), Aug. p.149
 pivoted-shoe, design of (Data Sheet), July p.151
 roller, cylindrical (Rollway Bearing Co.),* June p.172
 roller pillow block, flange-type (Heim Co.),* Mar. p.174
 spherical, hydrosphere, discussion of (Abstracts), Mar. p.202
 thrust, miniature (New Hampshire),* Oct. p.139
 Bearings, ball:
 high precision, Part I—"selection for design and type," Nov. p.103;
 Part II—"selection for grade of accuracy and speed," Dec. p.122
 miniature (New Hampshire),* Apr. p.188
 self-aligning, double-row (Heim Co.),* Mar. p.173
 thin wall (Federal Bearings Co.),* June p.169
 Bearings, sleeve:
 adjustable, spherical (scanning),* Dec. p.108
 life increased by elastic matching, May p.106
 pivoted-pad type (Patents),* Jan. p.170
 porous-bronze (Precision Products Co.),* Sept. p.163
 zinc-base, used by Germans (Topics),* May, p.86
 Belts:
 conveyor, woven-wire (Cambridge),* Aug. p.160

* Denotes short articles of less than one page.

endless, use sequence control, Apr. p.130
 high-strength, V (Browning),* Dec. p.167
 high-strength, V (Manhattan Rubber Div.),* May p.157
 Nylon-reinforced, V (U. S. Rubber Co.),* June p.180
 toothed, nonslipping (L. H. Gilmer Div.),* Jan. p.158
 Bendix-Weiss constant velocity joint, discussion of, May, p.103
 Blueprint developing machine (Paragon-Revolute Corp.),* Jan. p.166
 Bolted assemblies, factors to be considered in use of, Mar. p.153
 Books:
 American Standards Association revised price list*, Nov. p.178
 Analysis and Design of Translator Chains by H. Ziebolz*, Jan. p.176
 ASTM Standards, American Society for Testing Materials*, Jan. p.176
 Basic Graphical Symbols for Electrical Apparatus, American Standards Association*, May p.153
 Bibliography on Die Casting, Technical Publishing Co.,* Feb. p.162
 Chemistry and Technology of Plastics by Raymond Nauth*, Jan. p.176
 Cold Shaping of Steel, Heintz Mfg. Co.,* Jan. p.178
 Compressed Air Handbook, Compressed Air and Gas Institute*, Jan. p.178
 Corrosion Handbook edited by Herbert H. Uhlig*, July p.170
 Design of Machine Elements by M. F. Spotts*, Nov. p.178
 Directory of Commercial and College Laboratories, National Bureau of Standards*, Dec. p.192
 Electronic Dictionary by N. M. Cooke and John Markus*, Jan. p.178
 Electronics for Industry by W. I. Bendz*, Mar. p.182
 Elements of Mechanism by Schwamb and Merrill*, Jan. p.176
 Engineering Organization and Methods by James E. Thompson*, Aug. p.152
 Falk's Solutions by Karl H. Falk*, May p.153
 Finishes for Aluminum, Reynolds Metals Co.,* Feb. p.162
 Fluid Mechanics by George F. Wislicenus*, July p.170
 Forming of Austenitic Chromium-Nickel Stainless Steels by V. N. Krivobok and George Sachs*, May p.153
 Fracture of Metals by M. Gensamer, E. Saibel, J. T. Ransom, and R. E. Lowrie*, Dec. p.192
 Fundamentals of Engineering Mechanics by Alvin Sloan*, Mar. p.182
 Fundamentals of Plastics by H. M. Richardson*, Mar. p.182
 Gas Turbine Construction by R. Tom Sawyer*, Dec. p.186
 Hardenability of Alloy Steels, Society of Automotive Engineers*, Aug. p.152
 Industrial Electronics Reference Book, Westinghouse Electric Corp.,* Dec. p.190
 Industrial Management by W. R. Spriegel and R. H. Lansburgh*, July p.170
 Magnetic Control of Industrial Motors by Gerhart W. Heumann*, May p.153
 Mechanical Vibrations by J. P. Den Hartog*, Aug. p.152
 Metals Handbook, American Society for Metals*, Nov. p.178
 Modern Metallurgy of Alloys by R. H. Harrington*, June p.188
 Nomography by Alexander S. Levens*, June p.188
 Powder Metallurgy by Dr. Henry H. Hausner*, May p.153
 Powder Metallurgy by Paul Schwartzkopf*, Dec. p.188
 Practical Design Handbook for Engineers by Alois Cibulka*, Feb. p.162
 Precision Investment Casting by E. L. Cady*, Dec. p.186
 Principles of Servomechanisms by G. S. Brown*, Dec. p.188
 Radiography in Modern Industry, Eastman Kodak*, Mar. p.182
 Radio Frequency Heating by G. H. Brown, C. N. Hoyler and R. A. Bierwirth*, Dec. p.190
 SAE Handbook, Society of Automotive Engineers*, Jan. p.178
 Servomechanism Fundamentals by H. Lauer, R. Lesnick and L. E. Matson*, Nov. p.178
 Shot Peening, American Wheelabrator & Equipment Corp.,* July p.170
 SPI Handbook, Society of the Plastic Industry Inc.,* Feb. p.162
 Standard Welding Symbols, American Welding Society*, Dec. p.192
 Steel and Its Heat Treatment by D. K. Builens*, July p.170
 Steel Castings by Eric N. Simons*, Aug. p.152
 Stress Corrosion Cracking of Mild Steel by J. T. Waber and H. J. McDonald*, Nov. p.178
 Symposium on Testing Bearings, American Society for Testing Materials*, June p.188
 The Science and Engineering of Nuclear Power edited by Clark Goodman*, Dec. p.186
 Theory of Mathematical Machines by F. J. Murray*, Feb. p.162
 Waterbury's Handbook of Engineering by L. A. Waterbury*, June p.188
 Boring spindle hydraulically actuated (Patents),* Sept. p.178
 Bottle unscrambler prevents jamming (Scanning),* Jan. p.108
 Brake linings, rivetless (Cutler-Hammer),* Aug. p.168
 Brake, small wheel (Saginaw Products),* Dec. p.167
 Braking, controlled, Dec. p.125
 Braking device for trains, discussion of, Apr. p.116
 Brazing, aluminum furnace, discussion of, Sept. p.128
 Brazing, designing for, Dec. p.146

Brazing of stainless-steel parts (Topics)*, Apr. p.98
 Bronze, aluminum heading alloy (Ampco Metal)*, Aug. p.166
 Bronze, wrought sheet (Ampco Metal)*, May p.155
 Bulldozer is designed for arc welding, Jan. p.143
 Buna N rubber, discussion of, Feb. p.140
 Buna S rubber, discussion of, Feb. p.139
 Burner for space heater made of aluminum alloy (Scanning)*, Jan. p.110
 Bushings, carbide (Carboloy Co.)*, Aug. p.160
 Butyl rubber, discussion of, Feb. p.141
 Bushing, ball-type, reciprocating (Thomson Industries)*, Apr. p.190
 Bushings, Kennametal (Kennametal Inc.)*, Dec. p.167

C

Cable-control unit (Southwest Products Co.)*, July p.158
 Cable, Nylon-covered (Rochester Ropes)*, Sept. p.164
 Calculator, fluid-flow (Foxboro Co.)*, Feb. p.170
 Calculator operates by electric analogy*, Sept. p.139
 Caliper, vernier, stainless-steel (George Scherr Co.)*, Sept. p.176
 Camera, oscilloscope (DuMont Laboratories)*, Apr. p.194
 Cams:
 and mechanisms, design of, July p.136
 circular-arc, analyzing, July p.129
 curvature formulas for profile-radius calculations (Data Sheet), Feb. p.159
 mechanism dynamic forces, discussion of, Jan. p.135
 Capacitors, high-voltage (Sprague Electric)*, May p.164
 Capacitors, miniature, tubular (Sprague Electric)*, Jan. p.158
 Capacitors, plug-in, type QC, (Cornell-Dubilier)*, Mar. p.172
 Car coupler, discussion of development, Aug. p.100
 Carbon-graphite piston used on fluid meter (Applications)*, Aug. p.148
 Carburizing of steel, discussion of, Nov. p.113
 Case-hardening of steel, discussion of, Nov. p.112
 Castings:
 investment, design of, Aug. p.139
 investment, discussion of, May p.91
 investment, for making milling cutters (Topics)*, June p.104
 investment, use silica-plastic as mold material (Topics)*, Mar. p.102
 pressure, aluminum (Lukens Aluminum Corp.)*, July p.158
 pressure, design of, Sept. p.118
 sand, design of (Topics)*, July p.88
 Centering device, hydraulic (Patents)*, Nov. p.180
 Centrifugal force for sludge removal (Patents)*, Dec. p.184
 Ceramic, alumina, sintered types for turbine blades (Topics)*, Feb. p.98
 Ceramics used in turbine blades (Abstracts)*, Feb. p.196
 Chain drives, standard (Link-Belt)*, May p.158
 Chain, roller, controls knitting machine*, Apr. p.126
 Chain, roller, used in printing press drive (Applications)*, Oct. p.134
 Chain, roller, used on record selector (Applications)*, Aug. p.148
 Chain, roller, uses snap rings (Atlas Chain)*, Dec. p.164
 Check perforator has tripping circuits (D.O.M.)*, Feb. p.157
 Chemical corrosion, prevention of through design, Feb. p.116
 Chopper, plastic, rotary heavy-duty (D.O.M.)*, Sept. p.156
 Circuit breakers, low-voltage, air (General Electric)*, July p.164
 Circuit breaker, multiple (Square D Co.)*, Sept. p.163
 Clamps, tubing (Holub Industries)*, Jan. p.160
 Cloth, wire, high-strength (Michigan Wire Cloth)*, Nov. p.170
 Clutches:
 automatic, fractional horsepower (Clark Clutch Div.)*, Aug. p.166
 automatic V-belt (W.S.K. Inc.)*, July p.157
 centrifugal, low horsepower (Saginaw Products)*, Oct. p.143
 discussion of, July p.134
 disk, heavy-duty (Wichita Falls Foundry & Machine Co.)*, Aug. p.160
 eddy-current, drive engine cooling fan (Scanning)*, Sept. p.104
 electromagnetic, use magnetic particles in oil, (Scanning), May p.99
 fluid, positive-displacement type, discussion of, Jan. p.115
 friction, (Morse Chain Co.)*, July p.155
 nonlocking, floating-disk (Caryle Johnson Machine Co.)*, Oct. p.142
 oneway and anti-friction bearing combined (Patents)*, Jan. p.170
 overrunning, use minimum of wedging parts, (Scanning)*, Sept. p.105
 pneumatic-electric controlled (D.O.M.)*, Dec. p.150
 positive drive, discussion of (Patents)*, Apr. p.204
 use magnetic attraction (Patents)*, June p.190
 V-belt (V-Belt Clutch Co.)*, July p.160
 V-belt, automatic (Salsbury Corp.)*, Oct. p.139
 Coatings (see Finishes)
 Color, choice of, in machines, Sept. p.99
 Composite-metal rotor (Patents)*, July p.172
 Compressors:
 axial-flow, have small diameter (Scanning)*, Sept. p.105
 diaphragm-type (Kellogg Div., American Brake Shoe)*, June p.170
 discussion of, July p.141
 for low-temperature operation, (Scanning)*, Oct. p.94
 for pneumatic system, discussion of, June p.119
 operate without lubrication (Patents)*, Feb. p.174
 Condensers: (also see Capacitors)
 copper-nickel (Revere Copper & Brass)*, May p.156
 Conduit assemblies, custom made (General Electric)*, May p.156
 Contactors, reversing, ac dc (Square D Co.)*, Nov. p.174
 solenoid, ac (Ward Leonard)*, July p.162
 Contour projector, discussion of (D.O.M.)*, June p.160
 Controls, (also see specific control)
 air-fuel ratio, (Leeds & Northrup Co.)*, Mar. p.170
 edge-position, pneumatic (Scanning)*, Dec. p.106
 electric, used in engine lathe (Scanning)*, June p.113
 electronic, speed, 3 hp (J. B. Lewis & Co.)*, Nov. p.166
 liquid-level, electronic (Lumenite Electronic Co.)*, Oct. p.140
 load, automatic, discussion of, Nov. p.109
 motor speed, saturable-core reactor, Sept. p.137
 photoelectric for paper cut-off, June p.122
 remote, torque (Eclipse Pioneer Div.)*, Nov. p.170
 sequence, uses endless belt, Apr. p.130
 temperature, electronic (Thomas A. Edison)*, Aug. p.164
 temperature, stepless (Thermo Electric Mfg. Co.)*, Mar. p.176
 variable-speed, electronic, (Smith Power Transmission)*, Mar. p.169

variable-speed, electronic (Yardeney Laboratories)*, Mar. p.175
 Conveyor belt for hot material (B. F. Goodrich Co.)*, Mar. p.171
 Conveyor chain, flat-top, (Wade-Morrison)*, Feb. p.166
 Conveyor, roller, gravity (Rapids-Standard)*, June p.170
 Coolant fed through porous grinding wheel (Scanning)*, Jan. p.109
 Co-ordination of design and manufacturing, Nov. p.117
 Corrosion elimination through design, Part I—causes of corrosion, Feb. p.116; Part II—design measures, Mar. p.142
 Cost reduction, discussion of (Abstracts), Mar. p.204
 Counters, photoelectric, multichannel (Potter Instrument)*, Aug. p.168
 Counters, reset, general purpose (Veeder-Root Inc.)*, Sept. p.163
 Couplings:
 flexible (American Flexible Coupling)*, Feb. p.163
 flexible (Certified Flexible Couplings)*, Feb. p.165
 flexible, absorb vibration (Patents)*, Nov. p.180
 flexible, ball-type (Gear Grinding Machine Co.)*, Jan. p.163
 flexible, fractional horsepower, (Climax Flexible Coupling)*, Aug. p.155
 flexible, low-torque (Climax Flexible Coupling)*, Sept. p.168
 flexible, pin-type (Dodge Mfg.)*, Jan. p.157
 flexible, tongue and groove type (Climax Flexible Coupling)*, Jan. p.164
 fluid, filling of (Patents)*, July p.172
 fluid, used in washing-machine agitator (Scanning)*, Jan. p.108
 hose, quick-soldering (Brockway Co.)*, Aug. p.156
 hydraulic, releases automatically (Applications)*, Sept. p.158
 hydraulic, self-contained (CraneVeyor Corp.)*, July p.160
 hydrostatic, delivers infinitely variable torques (Scanning)*, Nov. p.100
 Crane structure built of aluminum alloys, July p.131
 Cycling control for turret lathes, Apr. p.101
 Cylinders:
 aluminum, discussion of, Nov. p.136
 double-acting, rotating (Skinner Chuck Co.)*, Feb. p.167
 hydraulic, method of forming to long lengths (Patents)*, Dec. p.182
 hydraulic, thrust equalizer*, Apr. p.129
 pneumatic, control of, Apr. p.119
 pneumatic cushion (Modernair Corp.)*, Nov. p.172
 pneumatic, integral valve type (Bellows Co.)*, Jan. p.163
 pneumatic, low-pressure (Entwistle)*, Dec. p.167

D

Damper, vibration, viscous (Scanning)*, Dec. p.106
 Damping controlled in vibration mounts (Patents)*, Feb. p.174
 Data Sheets:
 bearings, pivoted shoe, load capacity and friction of, Part I—thrust bearings, July p.151; Part II—journal bearings, Aug. p.149
 cam curvature formulas for profile radius calculations, Feb. p.159
 deflection of hollow shafts in torsion, calculating, May p.151
 differential drive, discussion of, June p.165
 hydraulic standards for industrial equipment, Dec. 155
 intermittent mechanisms, Part I, Sept. p.159; Part II, Oct. p.135; Part III, Nov. p.159
 planetary gear calculations, discussion of, Mar. p.165
 torsional vibration frequency calculation, Jan. p.153
 Design:
 co-ordination with manufacture, Nov. p.117
 details influence production costs, May p.126
 for economical manufacture, Feb. p.101
 for morale in engineering department, Aug. p.89
 improvement procedure outlined (Abstract)*, Sept. p.198
 simplification, discussion of (Abstracts), Jan. p.194
 time and motion study principles in, Aug. p.121
 Designer, characteristics of (Abstract)*, Oct. p.170
 Dials, instrument, design of, June p.150
 Diaphragms, nonmetallic, design of, June p.153
 Diaphragms, rubber, Nylon-base (U. S. Rubber Co.)*, Oct. p.140
 Dictating machine, magnetic wire (Peirce Wire Recorder)*, Feb. p.172
 Die casting design, cores in, discussion of*, Aug. p.105
 Differential insures drive-wheel traction, July p.143
 Differentials, mechanical, bevel-gear (Arma Corp.)*, Sept. p.172
 Differential registers synchronous speed, Apr. p.115
 Diffraction gratings used for spectrographs (Topics)*, Feb. p.98
 Dimension adder and subtractor (Elemoto Sales Co.)*, Sept. p.174
 Dimensioning system based on Cartesian co-ordinates, Feb. p.135
 Disk stresses, method for calculating, Feb. p.144
 Disks, rotating, high temperature, design of, Dec. p.141
 Distributor uses planetary system (Patents)*, May p.178
 Dowel pins, alloy-steel (Standard Pressed Steel)*, Feb. p.164
 Drafting:
 blueprint paper, photographic (Eastman Kodak)*, Feb. p.172
 compass, self-centering (Modern Gauge & Rule Co.)*, Nov. p.176
 desk, all steel (Haskell Mfg. Co.)*, July p.168
 distance-measuring instrument (Herman H. Sticht)*, Feb. p.170
 draw cleaner for drawings (Craftint Mfg. Co.)*, Mar. p.177
 ellipse-making machine, discussion of (Scanning)*, Nov. p.102
 flexible curve (Cook Specialty)*, Feb. p.172
 instrument set (V. & E. Mfg.)*, Dec. p.176
 kit, small size (Engineering Mfg. Co.)*, Sept. p.174
 machine (Charles Bruning Co.)*, Aug. p.172
 machine, stainless-steel (Emmert Mfg.)*, Dec. p.176
 paper, long-life (Clearprint Paper Co.)*, Aug. p.172
 paper, sketch, cross-ruled (Ogilvie Press)*, Feb. p.172
 pencil, drawing (A. W. Faber-Castell)*, Mar. p.177
 pencil pointers (Sutz Products)*, Feb. p.170
 pencil, refillable (Charles Bruning Co.)*, Mar. p.177
 pencil sharpener (Triple "E" Products Co.)*, Aug. p.172
 rule with indicator (Chowns Mfg. & Design Co.)*, Jan. p.168
 shading medium (Craftint Mfg.)*, June p.186
 stencils, three-dimensional (Charvoz-Roos Corp.)*, Sept. p.176
 T-square, plastic (Instrumaster)*, Dec. p.176
 template, electric (Rapidesign Inc.)*, Nov. p.176
 template, plastic (Rapidesign)*, Oct. p.146
 template, pocket-size (Rapidesign)*, Feb. p.170
 template, radius type (Rapidesign Inc.)*, June p.184
 template set (Rapidesign Inc.)*, May p.168
 template with electrical symbols (Rapidesign)*, Jan. p.168
 tool tray (Winslow Product)*, Apr. p.194

* Denotes short articles of less than one page.

tracing vellum, chemically shaded (Craftint Mfg.)*, Feb. p.170
Drawing reproduction unit, ammonia-type (Peck & Harvey)*, May p.166
Drive, epicyclic (American Brake Shoe Co.)*, June p.180
Drives, silent-chain (Morse Chain Co.)*, May p.160
Drives, symposium on, Apr. p.126
Drives, variable-speed, discussion of, Apr. p.169

E

Economical design, discussion of, Feb. p.101
Edge-position control (Scanning)*, Dec. p.106
Education, engineering, system of, Sept. p.123
Elastic matching improves bearing life and performance, May p.106
Electrets, discussion of (Scanning)*, Feb. p.107
Electric motors (see *Motors, electric*)
Electric test set, high-sensitivity (Precision Apparatus Co.)*, Oct. p.146
Electrical high-voltage parts, design of, June p.123
Electrical safety code published (Topics)*, Aug. p.86
Electromotive series of metals, discussion of, Feb. p.119
Electronic circuits, printed (Scanning)*, Feb. p.107
Electronic device replaces vacuum tube (Scanning)*, Aug. p.95
Electronic lathe control, discussion of, (Abstracts)*, Aug. p.192
Ellipse drawing machine, discussion of (Scanning)*, Nov. p.102
Enamel, abrasion-resistant (Sherwin-Williams Co.)*, Nov. p.170
Enamel, low-gloss, synthetic (Sherwin-Williams Co.)*, July p.162
Enamel, metallic, high-gloss (Norfolk Paint)*, Dec. p.164
Enamel, porcelain, selection of (Abstracts)*, May p.190
Engineering department: (also see *Drafting*)
morale, discussion of, Aug. p.89
organization and function, discussion of, July p.125
organization of, for development, Sept. p.112
personnel, selection of, Dec. p.133
Engineering education, proposed method of, Sept. p.123
Engines:
crankshaft for, is circular cam (Scanning)*, Mar. p.115
diesel (Cummins Engine Co.)*, Dec. p.174
efficiency of, compromised with simplicity (Abstracts)*, Sept. p.200
four-cycle, air-cooled, (Clinton Machine Co.)*, Mar. p.170
jet and reciprocating, used together (Topics)*, Nov. p.92
marine, research program, discussion of (Abstracts)*, Sept. p.202
single-cylinder (Sensation Engine Co.)*, Aug. p.170
single-cylinder four-cycle, (Gladden Products)*, Feb. p.166
single-cylinder, two-cycle (Erie Engine & Mfg.)*, Apr. p.192
single cylinder, two-cycle (Propulsion Engine Corp.)*, May p.154
single-cylinder, vertical-shaft (McCulloch Motors)*, Aug. p.166
two-cylinder, four-cycle, air-cooled, (Wisconsin Motor Corp.)*, Mar. p.175
vertical-shaft (Power Products Corp.)*, Sept. p.163
Erasing machine (Charles Bruning Co. Inc.)*, Apr. p.194
Erasing machine, electric (Chicago Wheel)*, May p.168
Escapement, mechanical, discussion of, Apr. p.127
Extruded metal parts, discussion of, Aug. p.107
Extrusion, impact, discussion of, Feb. p.104
Extrusion press has constant extrusion-speed (Patents)*, May p.176

F

Fans, adjustable-blade (Joy Mfg. Co.)*, May p.158
Fan controlled by thermal unit (Applications)*, Mar. p.164
Fans, cooling, centrifugal (Johnson Fan & Blower)*, Dec. p.166
Fasteners: (also see *specific type*)
blind (Shakeproof Inc.)*, May p.155
bolted assemblies, discussion of, Mar. p.153
conveyor-belt (Flexible Steel Lacing Co.)*, July p.156
projection welding of*, Aug. p.104
studs, locking, leak-proof (National Screw & Mfg. Co.)*, July p.160
wire (Scanning)*, Dec. p.109
Fatigue damage, measurement of (Scanning)*, Nov. p.100
Fatigue-test data, methods of obtaining, Oct. p.115
Feed, automatic, for roll grinder*, Apr. p.128
Feeder, vertical spiral (Syntron Co.)*, Dec. p.166
Feeding mechanism for gear shaver, discussion of (Scanning)*, Aug. p.95
File, drawing, flat (Staer Equipment Corp.)*, Sept. p.174
Filling machine, vacuum and screw type (D.O.M.)*, Nov. p.155
Film, bonding, high-strength (Minnesota Mining)*, Dec. p.174
Filters, all-metal, for oil, (Air-Maze Corp.)*, Mar. p.169
Filters, compressed-air line (Hannifin Corp.)*, Dec. p.165
Filters, high-pressure, stainless-steel (Micro Metallic)*, Dec. p.166
Filters, hydraulic-oil (Machinery Equipment Div., Vickers)*, Feb. p.163
Finishes:
aluminum, chemical (Americal Chemical Paint)*, Dec. p.170
aluminum, oxide type (Topics)*, Feb. p.98
corrosion-resisting (Enthone Inc.)*, Sept. p.166
enamel, synthetic (Sherwin-Williams)*, Dec. p.170
for machine parts, discussion of, Oct. p.125
for springs, protective, Dec. p.128
phosphate type for steel protection (Topics)*, Jan. p.98
protective, organic (Industrial Metal Protectives)*, July p.166
protective, organic (Sherwin-Williams)*, Aug. p.166
protective, transparent (State Chemical Corp.)*, July p.164
silicone paint retains color (Topics)*, Sept. p.96
surface, designating (roughness), Dec. p.137
vinyl-resin, provide surface corrosion protection (Topics)*, Nov. p.92
Fittings:
tube, automatically sealing (Roylyn Inc.)*, June p.180
tube, flareless high-pressure (Flodur Corp.)*, July p.162
tube, hydraulic (Flodur Corp.)*, Jan. p.159
tube, hydraulic-pneumatic (Hansen Mfg. Co.)*, May p.155
tube, quick-connecting, steam (Hansen Mfg. Co.)*, Apr. p.184
tube, rapid (Electric Matic Div.)*, Aug. p.158
tube, self-flaring (Sevill Mfg.)*, Dec. p.168

* Denotes short articles of less than one page.

tube, self-sealing (E. B. Wiggins)*, Nov. p.174
Flame hardener temperature controlled electronically (D.O.M.)*, May p.148
Flexure plates for instrument supports (Scanning)*, July p.98
Flow-control unit, (Hammel-Dahl Co.)*, Oct. p.140
Fluid actuated without piston (Patents)*, Nov. p.180
Fluid-flow calculator (Tube Turns Inc.)*, May p.168
Force measuring instrument (W. C. Dillon & Co.)*, July p.168
Forgings, welded, in shock absorbers (Applications)*, Mar. p.164
Fraction-adding chart (H. M. Edmunds Co.)*, Oct. p.146
Frequency converter for high-cycle motors (General Electric)*, Mar. p.174

G

Gage, oil sight (Oil Rite Corp.)*, Oct. p.139
Gaging by air-mercury, used on grinders (Scanning)*, June p.115
Gaging devices, air jet, discussion of, Jan. p.111
Galvanic corrosion, discussion of, Feb. p.118
Galvanic series of metals, Feb. p.119
Gas turbine speed reduction transmission, Feb. p.149
Gaskets, metallic, heavy-duty (U. S. Gasket & Shim Co.)*, Oct. p.143
Gears:
boxes, bevel-gear type (Piezo Mfg. Corp.)*, Jan. p.158
bushings, bonding of (Applications)*, Feb. p.158
checking machine, discussion of, June p.128
Cone-Drive, miniature*, Mar. p.158
Cone-Drive, reduces size of drive (Applications)*, Nov. p.158
flexible, offers torsional flexibility and self-alignment (Patents)*, Sept. p.178
instrument, design of, Apr. p.163
locked train, Dec. p.110
noise, analysis of, Aug. p.133
planetary, discussion of design, May p.133
planetary gear calculations, (Data Sheet), Mar. p.165
planetary, used in differential drives (Data Sheet), June p.165
sector, noise reduction of, June p.131
shaper has apron relief (D.O.M.)*, Feb. p.154
shaver, feeding mechanism for (Scanning)*, Aug. p.95
shoulder, shaved by conical cutter (Applications)*, Sept. p.158
spur, floating center, discussion of*, Apr. p.129
tapered, design of, Mar. p.125
tooth loads, reduction of, Dec. p.110
worm-spur combination for machine bed*, Apr. p.128
Generating system consists of alternator, regulator and rectifier (Scanning)*, Feb. p.109
Generators, dc, high-current (Clark Electronic)*, Sept. p.170
Geneva wheel, errors in design of, Sept. p.140
Glass-reinforced plastic parts, design of, Oct. p.103
Governor for fluid-driven devices (Patents)*, May p.178
Graphical record analysis, discussion of, June p.145
Graphite face seals, discussion of, Jan. p.127
Gravel plant, mobile, discussion of (D.O.M.)*, Nov. p.157
Grinder, automatic, for cutters, discussion of (D.O.M.)*, Mar. p.160
Grinder-comparator, discussion of, Jan. p.149
Grinder roller ways have low friction (D.O.M.)*, Mar. p.162
Grinder ways protected by simple design (D.O.M.)*, May p.146
Gyroscopes and their applications, discussion of, July p.101

H

Hardening, flame, of steel, discussion of, Nov. p.114
Hardening, flame, used on lathe ways (Applications)*, Nov. p.158
Hardening, induction, of steel, Nov. p.115
Heater, high-frequency plastic preform (D.O.M.)*, Sept. p.155
Heater, plastic preform, electronic (D.O.M.)*, Sept. p.156
High-speed machines, eliminating vibration in, Oct. p.118
Honing and lapping, discussion of, June p.133
Hooke's joint, discussion of, May p.101
Hose (also see *Tubing*):
hydraulic, high-pressure (B. F. Goodrich Co.)*, Sept. p.170
Hydraulics:
actuator, positive locking (Patents)*, Dec. p.184
circuit analysis, Mar. p.149
circuit used in speed recorder, Apr. p.114
controls in road machines, discussion of, Sept. p.135
couplings for variable-speed drive, Apr. p.149
fluids have water base, July p.113
motor speed controlled by hydraulic valve (Patents)*, Feb. p.174
pitman for press, discussion of (Scanning)*, June p.114
positioning device controls linear movement (Patents)*, June p.190
power unit (Cleveland Republic Tool Corp.)*, June p.182
power unit (Hydro-Power Inc.)*, June p.180
power unit (Jerome Hydraulics Co.)*, July p.157
power unit, 1000 psi (Hydraulic Press)*, Sept. p.170
power unit, 1000 psi (Lyon-Raymond Corp.)*, Sept. p.166
power unit, four-speed gearshift type (Lima Electric)*, Jan. p.158
power unit, miniature (John Dusenbury Co.)*, Aug. p.160
power unit, self-contained, (Hufford Machine Works)*, Mar. p.172
power unit, self-contained, model PP-113 (Greer Hydraulics Inc.)*, Mar. p.173
power unit, series 1400 (Roper Corp.)*, Mar. p.172
power units, custom-built (Vickers Inc.)*, Jan. p.162
pressure-control valve selection, Apr. p.105
standards for, in industrial equipment (Data Sheet), Dec. p.155
system, aircraft two-pressure type, discussion of, Feb. p.123
system (Electrol Inc.)*, June p.182
system design, Apr. p.181
system, for signaling in PT boats (Applications)*, Dec. p.159
torque converter handles heavy loads (Applications)*, May p.150
torque converters, discussion of, Apr. p.152
valve lifters in motorcycle engine, discussion of (D.O.M.)*, Aug. p.144

Impact hammer has low torque reaction (Scanning)*, Aug. p.96
 Impedance-measuring instrument (Sound Apparatus Co.)*, Feb. p.170
 Indicator, remote type (Stevens-Arnold)*, Feb. p.165
 Induction hardening, designing for, Aug. p.178
 Induction heating, discussion of*, Aug. p.176
 Injection molding machine, hydraulic (D.O.M.)*, Sept. p.154
 Ink-bottle holder (Wayne Products Mfg. Co.)*, June p.186
 Instrument, air-measuring (Anemostat Corp.)*, Nov. p.176
 Instruments insure economical operation, Aug. p.132
 Insulation, electric, inorganic (Johns-Manville)*, Oct. p.139
 Insulation, pipe, cellular glass (Pittsburgh Corning)*, Oct. p.142
 Insulation, thermal, plastic (U. S. Rubber)*, June p.176
 Intercommunication set, two-way type (Lyman Electronics)*, Mar. p.177
 Interlocks for machine protection, discussion of, Apr. p.131
 Intermittent mechanisms, discussion of*, Aug. p.98
 Intermittent mechanisms, design of (Data Sheet), Part I, Sept. p.159; Part II, Oct. p.135; Part III, Nov. p.159
 Ionotron static eliminator reduces fire hazard (Applications)*, Jan. p.152
 Iron, cast, specification of (Abstracts)*, Oct. p.168

J, K, L

Jet plane speed increased by afterburner*, Sept. p.188
 Jig borer has optical measuring system (D.O.M.)*, Aug. p.146
 Joints:
 constant velocity, discussion of, May p.101
 rotary (Deublin Co.)*, Sept. p.170
 rotary, pressure, self-supporting (Johnson Corp.)*, Aug. p.156
 swivel, all-metal (Seamex Co.)*, Dec. p.165
 swivel, sanitary (Chiksan Co.)*, May p.160
 Kirby, J. B., biography of, July p.106
 Lamps:
 flash, high-speed (Amglo Corp.)*, Sept. p.176
 fluorescent, ceiling (Edwin F. Guth Co.)*, Aug. p.172
 fluorescent, ceiling (F. W. Wakefield Brass Co.)*, Jan. p.168
 fluorescent fixture (Shenley Electric Products Co.)*, July p.168
 indicator, assembly (American Electronics)*, July p.166
 neon-glow, indicator (American Electronic Corp.)*, Jan. p.163
 photographic, high-intensity (General Electric)*, Dec. p.176
 Light, pilot, oil-tight (Square D Co.)*, May p.155
 Landing gear for B-36 has four wheels (Scanning)*, Jan. p.110
 Latches, access-door (Tinnerman Products)*, Nov. p.188
 Lathe control, electronic, discussion of (Abstracts)*, Aug. p.192
 Lathe, high-speed, development of, Jan. p.140
 Lead coating serves dual purpose (Applications)*, Mar. p.164
 Linear motion translated into rotary motion without error (Patents)*, Aug. p.174
 Load control, automatic, discussion of, Nov. p.109
 Load weighing device utilizes strain gages (Patents)*, Sept. p.178
 Locked-train gears, Dec. p.110
 Lockwashers, aluminum-spring (George K. Garrett Co.)*, Aug. p.170
 Locomotive, turbine-electric, discussion of, May p.118
 Lubrication:
 air-line, automatic (Hannifin Corp.)*, Nov. p.164
 automatic bearing (Acro Metal Stamping Co.)*, Sept. p.170
 extreme-pressure, powder (Alpha Corp.)*, Nov. p.165
 fittings (Lincoln Engineering Co.)*, May p.154
 for injection pump, requires no external lines (Patents)*, Aug. p.174
 graphite in suspension reduces metal surface tension (Topics)*, July p.88
 journal bearings, discussion of*, Aug. p.104
 material dry, withstands 100,000 psi bearing pressures (Topics)*, Oct. p.82
 oiler, unbreakable bottle (Trico Fuse Mfg. Co.)*, Mar. p.173
 silicone-types, discussion of (Abstracts), Feb. p.200
 system (Bijur Lubricating Corp.)*, Apr. p.182

M

Machinability of steels, tabulation on, Oct. p.89
 Machines (see specific machines)
 Magnesium for machine weight reduction (Applications)*, Dec. p.154
 Magnesium parts, hot-forming of, Sept. p.143
 Magnesium used for aircraft skin (Topics)*, July p.88
 Magnets:
 Alnico-5, sintered (General Electric)*, Aug. p.162
 control tension in winder (Scanning)*, Aug. p.97
 employed in gas valve (Patents)*, Feb. p.174
 in drive obviates bearings and lubrication (Patents)*, Sept. p.178
 permanent, in design, discussion of, Oct. p.111
 plastic, called electrets (Scanning)*, Feb. p.107
 used for torque transmitting couplings (Applications)*, July p.150
 used in wool picker (Applications)*, Feb. p.158
 Magnetic separators (Dings Magnetic Separator Co.)*, July p.159
 Magnifier, table-type (Safety Center)*, Aug. p.172
 Markers, wire and cable (Western Lithograph Co.)*, Oct. p.142
 Materials (also see particular material):
 cemented carbide reduces wear (Applications)*, Sept. p.158
 cemented carbide used for cams (Scanning)*, June p.114
 cemented carbides (Kennametal Inc.)*, Jan. p.157
 cobalt-base alloys, discussion of, Jan. p.107
 directory of, Oct. p.223
 discussion of engineering (Abstracts)*, Feb. p.198
 heavy-metal alloy (General Electric)*, Feb. p.163
 krypton provides high efficiency fluorescent lighting (Topics)*, Oct. p.82
 listed by types, Oct. p.283
 magnetic, developed by Japanese (Topics)*, Feb. p.98

* Denotes short articles of less than one page.

molybdenum useful at high temperatures (Abstracts)*, Nov. p.202
 powder metals, discussion of, Jan. p.107
 producers of, listing, Oct. p.287
 ramie, for pump packing (Topics)*, Sept. p.96
 titanium for aircraft parts (Topics)*, Sept. p.96
 tradenamed, listing, Oct. p.225
 Mechanism, ball-release, discussion of, Nov. p.95
 Mechanism proportions, solution of, Feb. p.111
 Mechanisms, intermittent, design of (Data Sheet), Part I, Sept. p.159; Part II, Oct. p.135; Part III, Nov. p.159
 Meehanite gears used in transmission (Applications)*, June p.164
 Metals, improved, promise design progress, Jan. p.103
 Meters, large dial, electric (Marion Electric)*, June p.174
 Meter uses new magnetic bearing, June p.143
 Microfilm camera-reader (Microstat)*, June p.184
 Micrometer measurement by phototube, discussion of (Scanning)*, Oct. p.95
 Micrometers, electric, remote-reading (Stevens-Arnold Inc.)*, Oct. p.144
 Milling machine, design of (D.O.M.)*, July p.146
 Models, plastic, test (Brown Pattern Works)*, Aug. p.170
 Molding machine, plastic injection (D.O.M.)*, Sept. p.156
 Molding, plastic injection (D.O.M.)*, Sept. p.157
 Molding, plastic injection, hydraulic (D.O.M.)*, Sept. p.157
 Molybdenum useful at high temperatures (Abstracts)*, Nov. p.202
 Moment of inertia, determination of, Aug. p.138
 Motor base, tension-controlling (Automatic Motor Base Co.)*, Jan. p.160
 Motorcycle engine has hydraulic valve lifters, (D.O.M.), Aug. p.144
 Motors, electric:
 auxiliary (General Electric)*, May p.160
 capacitor (Brown-Brockmeyer Co.)*, May p.164
 capacitor, fan (Electro Machines Inc.)*, Oct. p.140
 capacitor-start, single-phase (Westinghouse)*, Jan. p.161
 capacitor, fractional-horsepower (Royal Electric Inc.)*, Mar. p.173
 capacitor, single-phase (Crozier Machine Tool Co.)*, July p.159
 corrosion resistant (Reliance Electric)*, May p.158
 fractional-horsepower (Brown-Brockmeyer)*, Dec. p.172
 fractional-horsepower (General Die & Stamping Co.)*, Apr. p.188
 fractional-horsepower (Russell Electric Co.)*, Apr. p.184
 fractional-horsepower (Torq Electric Mfg. Corp.)*, Apr. p.190
 fractional-horsepower (Triad Engineering Co.)*, May p.154
 friction driven (Patents)*, Apr. p.204
 gear (Ohio Gear Co.)*, May p.162
 gear (Philadelphia Gear, Reliance Electric)*, Apr. p.182
 gear, axial-air gap (Fairbanks-Morse)*, Nov. p.172
 gear, braking-type (Lextro-Max Inc.)*, Aug. p.162
 gear, convertible into two or three-stage reduction model (Scanning), May p.98
 gear, horizontal and vertical (Falk Corp.)*, Nov. p.174
 gear, light-weight (Electra Motors Inc.)*, July p.161
 gear, low-speed (United Electric Machinery)*, Sept. p.164
 gear, shaded-pole (E. L. Klauber)*, Apr. p.186
 gear, single-phase (Triad Engineering)*, June p.172
 gear, vertical-shaft, (Westinghouse)*, Mar. p.174
 induction (Westinghouse)*, Apr. p.192
 induction, adjustable-speed (General Electric)*, Jan. p.157
 induction, fractional-horsepower (T. C. Smith Mfg. Co.)*, July p.166
 induction, polyphase, 1800 rpm (Hertner Electric)*, Feb. p.166
 induction, shaded-pole (Alliance Mfg.)*, Jan. p.163
 induction, shaded-pole (Heinze Electric Co.)*, July p.158
 induction, shaded-pole (Russell Electric)*, Feb. p.163
 induction, shaded-pole (Russell Electric)*, May p.156
 induction, shaded-pole, fractional horsepower, (General Industries)*, Mar. p.169
 induction, shaded-pole, fractional horsepower (Redmond Co.)*, Mar. p.170
 induction, single phase (Westinghouse)*, Feb. p.167
 induction, squirrel-cage (Burke Electric Co.)*, Nov. p.168
 induction, squirrel-cage (Kurz & Root Co.)*, July p.155
 induction, squirrel-cage, two-pole (Electric Machinery Mfg. Co.)*, Mar. p.175
 induction, runs at 204,000 rpm (Topics)*, Mar. p.102
 induction, totally-enclosed (Westinghouse)*, Dec. p.168
 induction, wound-rotor (Westinghouse)*, Aug. p.156
 light-weight, high-speed (Kollsman Instrument Div.)*, July p.156
 midjet, gap-ring type, weighs 1/4-ounce (Scanning)*, Mar. p.115
 miniature, gap-ring (U. S. Instrument Corp.)*, Aug. p.164
 one-horsepower (Elcor Inc.)*, May p.157
 permanent-magnet, dc (Essell Corp.)*, Jan. p.157
 polyphase, integral-horsepower (Electric Boat Co.)*, Dec. p.170
 sanitary (Louis Allis Co.)*, Aug. p.158
 shell type, designing in, discussion of, Apr. p.157
 splash-proof, general purpose (A. O. Smith Corp.)*, June p.180
 stepping-type (Patents)*, Mar. p.178
 synchronous, instrument-type (Geason-Avery Inc.)*, Jan. p.166
 variable-speed (U. S. Electric)*, Nov. p.166
 variable-speed, constant torque (Guernsey Electrical Machinery Inc.)*, Mar. p.173
 vibrator-type (Piqua Machine & Mfg. Co.)*, June p.178
 vibratory (Patents)*, Apr. p.206
 wound-rotor, totally enclosed (Allis-Chalmers)*, Mar. p.173
 Motors, gasoline (see Engines)
 Motors, pneumatic, discussion of (Scanning), July p.98
 Motors, rocket, Dec. p.101
 Motors, timing, self-starting (R. W. Cramer Co.)*, Aug. p.155
 Mount, for engine accessories, uses single bolt (Patents)*, Aug. p.174
 Mounts, vibration (Lord Mfg. Co.)*, July p.155
 Mounts, vibration (Lord Mfg. Co.)*, Oct. p.139
 Movie, high-speed, used for mechanism analysis, Aug. p.127

N, O

Nameplates, stamped (Dayton Rogers Co.)*, Sept. p.170
 Neoprene rubber, discussion of, Feb. p.140
 Nitriding of steel, discussion of, Nov. p.115
 Noise, gear, elimination of, Aug. p.133
 Nondestructive testing, discussion of (Scanning)*, July p.99
 Nondestructive testers, Reflectoscope (Sperry Products Inc.)*, July p.168

Normalizing of steel, discussion of, Nov. p.112

Nuts:

fastener, high-strength, double-hex (Elastic Stop Nut)*, Sept. p.164
lock, spring (Grip Nut Co.)*, Nov. p.174
locking, reusable (Swallow Airplane Co.)*, July p.155
locking, vibration-proof (Boots Aircraft Nut Corp.)*, July p.161
locking, wing (Palmnut Co.)*, May p.164
wing, zinc-alloy (Gries Reproducer Corp.)*, Aug. p.166
Nylon bushings withstand staking (Applications)*, May p.150
Nylon strip (Polymer Corp.)*, Aug. p.162
Oiler, gravity-fed with filter (Trico Fuse Co.)*, May p.160
Optical measuring system used in jig borer (D.O.M.)*, Aug. p.146

P

Packing, hydraulic, rod (Hydraulic Accessories)*, Dec. p.166

Packing, metallic, floating steel (Rodpak Mfg. Co.)*, Mar. p.171

Packing, shaft, chemical resistant (Crane Packing Co.)*, June p.170
Paint, silicone, retains color and gloss indefinitely (Topics)*, Sept. p.96

Pantograph employs novel ratio bar (D.O.M.), May p.147

Paper cutter (Hobbs Fibre Co.)*, May p.166

Patents:

actuator, hydraulic, positive locking*, Dec. p.184
automatic valve for fuel pump*, July p.142
bearing, sleeve, pivoted-pad type*, Jan. p.170
boring spindle hydraulically actuated*, Sept. p.178
brushlike members used in variable-speed transmission*, June p.190
centering device, hydraulic*, Nov. p.180
clutch, one-way and anti-friction bearing combined, Jan. p.170
clutch, positive drive, Apr. p.204
composite-metal rotor, July p.172
compressor operates without lubrication, Feb. p.174
coupling, flexible, absorbs vibration*, Nov. p.180
cylinders, hydraulic, long, in sections*, Dec. p.182
damping control in vibration mounts*, Feb. p.174
distributor uses planetary system*, May p.178
electric motor friction-driven*, Apr. p.204
electric motor has stepwise speed change*, Mar. p.178
electromagnetic attraction used in clutch*, June p.190
fluid actuated without piston*, Nov. p.180
fluid couplings, filling of*, July p.172
gear drives resilient mounted to absorb shock*, Sept. p.178
gear, flexible, offers flexibility and self-alignment*, Sept. p.178
governor suitable for fluid-driven motors*, May p.178
hydraulic positioning device controls linear motion*, June p.190
hydraulic pump uses wobble-plate*, May p.174
hydraulic valve for motor speed control*, Feb. p.174
linear motion translated into rotary motion without error*, Aug. p.174
load weighing device utilizes strain gages*, Sept. p.178
lubrication, injection pump, requires no external lines*, Aug. p.174
magnet as used in gas valve*, Feb. p.174
magnetic drive obviates bearings*, Sept. p.178
motor, electric, reciprocating, discussion of*, Apr. p.206
mount, engine, uses single bolts*, Aug. p.174
nonchattering hydraulic check valve*, May p.174
press has constant extrusion-speed*, May p.176
pump, fuel, controlled injection type*, Jan. p.170
pump, hydraulic, large-capacity, small-size*, Mar. p.178
pump is roller-cam actuated*, May p.176
pump suction selector provides uniform supply*, Mar. p.178
roller guide, two-way, single element*, Dec. p.182
rotary-vane pump has no springs*, July p.176
seal, guard ring for O-rings*, Jan. p.170
seal, rotary and hermetic*, Jan. p.170
seal, rotary, tubular element*, Dec. p.182
seal, shaft, unaffected by endplay or vibrations*, Aug. p.174
seals, shaft type, flexible, is oil flinger*, Jan. p.170
servo motor, minimum rotor inertia*, Dec. p.182
sludge removal by centrifugal force*, Dec. p.184
solenoid plunger has uniform pull*, Mar. p.178
thermostat eliminates angular motion*, May p.174
transmission mounting to absorb shock*, Sept. p.178
universal joint for hydraulic circuits*, Feb. p.174
valve, automatic, responds to two pressure systems*, Nov. p.180
valve, hydraulic, constant flow*, Dec. p.182
valve obviates accumulators*, May p.178
valve, positive, has no sliding parts*, Nov. p.180
ventilating system prevents oil leaks*, Nov. p.180
vibration damper for engines, discussion of*, Apr. p.206
welding, spot, for low-resistance metals*, July p.172
Photographic slide viewer (D.O.M.)*, Dec. p.151
Photocopying machine (American Photocopy)*, Sept. p.174
Photocopying machine (Eastman Kodak Co.)*, June p.184
Photocopying machine (General Photo)*, May p.166
Photocopying machine (General Photo)*, June p.186
Photoelectric control for paper cut-off, June p.122
Photoflash unit, high-speed (Photographic Products)*, June p.186
Pilot, automatic, weighs only 35 pounds (Topics)*, Feb. p.98
Pinions, serrated (Pittsburgh Gear Co.)*, June p.172
Pins, dowel, rust-resisting (Holo-Krome)*, Aug. p.156
Pipe, plastic (U. S. Rubber)*, Aug. p.164
Piston-pin checker (D.O.M.)*, Dec. p.153
Planetary design, a new approach to, Sept. p.141
Planetary gear calculations, discussion of (Data Sheet), Mar. p.165
Planetary gears in differential drives (Data Sheet), June p.165
Planetary variable stroke device, discussion of, Apr. p.117
Plastics:
acrylic sheets in large sizes (Rohm & Haas Co.)*, May p.158
cellulose acetate, water-white (Tennessee Eastman)*, Nov. p.172
develops static charge (Applications)*, Aug. p.148
glass-reinforced, design of parts, Oct. p.103

* Denotes short articles of less than one page.

laminated, of glass-fiber and polyesters (Topics)*, Jan. p.98

model of, facilitates stress analysis, Jan. p.120

model of, facilitates valve analysis (Applications)*, Nov. p.158

Mycalex used for electrical cut-out (Applications)*, Jan. p.152

Nylon for gears and bearings requires no lubricant (Topics)*, July p.88

Nylon strip (Polymer Corp.)*, Aug. p.162

rubber-phenolic, compression-molding (General Electric)*, Nov. p.164

rubber-plastic compound (Goodyear Tire & Rubber)*, Dec. p.166

thermoplastic, tough, light-weight (U. S. Rubber)*, May p.164

used for thread tension pulleys (Applications)*, Oct. p.134

vinyl resin (Glenn L. Martin Co.)*, May p.162

vinyl copolymer (B. F. Goodrich Chemical)*, Mar. p.169

Plated metals, stresses in, discussion of, Nov. p.147

Plating used on ball bearings (Topics)*, Sept. p.96

Platings for machine parts, discussion of, Nov. p.145

Pneumatic blower disposes of paper trimmings (Application)*, July p.150

Pneumatics, discussion of, Part I—system and equipment, June p.116; Part II—development and research, July p.138

Pneumatic edge-position control (Scanning)*, Dec. p.106

Pneumatic-electric clutch control (D.O.M.)*, Dec. p.150

Porcelain enamel, selection of (Abstracts), May p.190

Positioning device, pneumatic (Hagan Corp.)*, July p.156

Positioning device utilizes accumulators (Scanning)*, Sept. p.106

Potato peeler, discussion of (D.O.M.)*, Oct. p.132

Potentiometers, low-torque, application of, May p.134

Powder metals, application in machine parts, June p.111

Power units, dc, selection of, June p.140

Pre-design research, discussion of, Oct. p.96

Pre-design research, discussion of (Abstracts)*, Jan. p.195

Preform conditioner, six-drawer (D.O.M.)*, Sept. p.156

Preheating unit, plastic, (D.O.M.)*, Sept. p.157

Press, compression molding, 50-ton (D.O.M.)*, Sept. p.154

Press, hydraulic injection (D.O.M.)*, Sept. p.155

Press, powder-metal, high-speed (D.O.M.)*, Dec. p.153

Press, preform, plastic molding (D.O.M.)*, Sept. p.155

Press, roll leaf stamping, (D.O.M.)*, Sept. p.154

Press, transfer molding (D.O.M.)*, Sept. p.155

Pressure control, manually adjusted (Thermix Corp.)*, Jan. p.162

Pressure regulators, discussion of, Jan. p.111

Pressure regulators for pneumatic systems, discussion of, June p.119

Pressure transmitters (G. M. Giannini)*, Jan. p.164

Prestressing, discussion of, July p.116

Printed electric circuits (Scanning)*, Feb. p.107

Printer, tracing, automatic (Ozalid Div.)*, Nov. p.176

Printing and developing machine (Ozalid Div.)*, Oct. p.146

Processes (see Production)

Production:
broaching, relay part made to high accuracy (Applications)*, May p.150

broaching utilized for removing burrs in stamping (Topics)*, Jan. p.98

casting, continuous, of steel (Topics)*, Sept. p.96

cold drawing, discussion of, Sept. p.129

contour-formed ring (Applications)*, Dec. p.159

cutting costs of through design, May p.126

extrusion, impact, discussion of, Feb. p.104

grinding, discussion of, Mar. p.135

processes, their influence on design, Part XXXI—automatic and shape turning, Feb. p.129; Part XXXII—production grinding, Mar. p.135; Part XXXIII—production grinding, design factors, May p.111; Part XXXIV—honing and lapping, June p.133; Part XXXV—superfinishing, July p.119; Part XXXVI—hot extrusion of metals, Aug. p.107; Part XXXVII—cold drawing, Sept. p.129; Part XXXVIII—spot welding, Nov. p.127; Part XXXIX—seam welding, Dec. p.115

shape turning, Feb. p.129

smelting, pressurized, provides for high production (Topics)*, Oct. p.82

soldering, induction, for radiators (Applications)*, Oct. p.134

spot welding, Nov. p.127

Superfinishing, July p.119

welding, Sept. p.147

welding, seam, discussion of, Dec. p.115

Program controls, the selection of, May p.137

Projection welding of fasteners*, Aug. p.104

Pulley, magnetic, separator (Eriez Mfg.)*, Sept. p.164

Pulleys, V-belt, integral clutch (Edgemont Machine Co.)*, Sept. p.172

Pulleys, variable-pitch (Gerbing Mfg.)*, July p.164

Pump base, tilting (Eagle Engineering)*, Feb. p.164

Pumps, fluid:

axial-flow, corrosion-resisting (Economy Pumps Inc.)*, Aug. p.156

centrifugal (Boswer Inc.)*, Aug. p.155

centrifugal, general-duty, single-stage (Peerless Pump Div.)*, Mar. p.176

controlled injection type (Patents)*, Jan. p.170

coolant (Allis-Chalmers)*, June p.170

coolant, immersed-type (Ruthman Machinery Co.)*, Jan. p.166

gearless (Eco Engineering Co.)*, June p.182

inlet has automatic suction selector, (Patents)*, Mar. p.178

metering, corrosion-resisting (Mechanical Products)*, Oct. p.144

rotary (Ellipse Corp.)*, July p.157

rotary-gear type (Paul Engineering Co.)*, Feb. p.168

rotary-vane, has no springs (Patents)*, July p.176

self-priming (Jabco Pump Co.)*, Jan. p.157

sludge (Thomson Pump Div.)*, July p.161

turbine-type (Walter H. Eagan Co.)*, May p.156

Pumps, hydraulic:

diaphragm-type, cam-driven (Patents)*, May p.176

foot type (Lyon-Raymond Corp.)*, Apr. p.188

gear type (Aro Equipment Corp.)*, Apr. p.184

gear type (Sundstrand)*, Apr. p.192

gear-type, medium-pressure (Adel Precision Products)*, Feb. p.163

high-pressure (Dudco Products Co.)*, May p.157

large-capacity, small-size (Patents)*, Mar. p.178

medium-pressure (Sundstrand)*, Jan. p.160

piston-type (Miller Hydraulic)*, June p.176

piston-type, high-pressure (Blackhawk)*, Mar. p.175

vane-type, adjustable-volume (Racine Tool)*, p.174

wobble-plate type (Patents)*, May p.174

Q, R

Quadric-crank mechanism, solution of, Feb. p.111
 Reactor, saturable-core, motor control, Sept. p.137
 Receivers, air (Dayton Rogers Mfg. Co.), Aug. p.170
 Reciprocating mechanism in yarn spinner, Oct. p.108
 Recorder, electronic, multiple-data (Foxboro)*, Dec. p.165
 Recorder, strip-chart, Capacilog (Wheelco Instruments Co.), Mar. p.176
 Recorders, data, magnetic-tape (Cook Research)*, Sept. p.174
 Recording head, magnetic, tape (Indiana Steel Products)*, Nov. p.168
 Rectifier stacks, selenium (General Electric)*, Nov. p.168
 Rectifiers, selenium, heavy-duty (International Rectifier)*, July p.156
 Reduction and reversing drives for gas turbines, Feb. p.149
 Reels, extension-cord (Benjamin Reel)*, Nov. p.166
 Refrigerator sealant, plastic (Armstrong Cork)*, May p.160
 Regulating exciters, discussion of, Apr. p.171
 Regulators, air-pressure, 150 psi (Hannifin Corp.)*, Nov. p.165
 Relays:
 ac line (Guardian Electric)*, July p.157
 ac motor-starting (Potter & Brumfield)*, Nov. p.165
 armatures for (Guardian Electric)*, July p.162
 bank for indicator, assembly (Guardian Electric)*, June p.176
 close-differential, current (Automatic Switch)*, June p.180
 dc light-weight (C. P. Clare)*, Oct. p.142
 dc multicontact (General Electric)*, Feb. p.168
 dc, multipole, heavy-duty (Westinghouse)*, May p.162
 dc, sensitive (Comar Electric)*, Dec. p.174
 double-pole, miniature (Struthers-Dunn)*, Apr. p.190
 dust-tight, plug-in (C. P. Clare)*, Aug. p.170
 electronic control (Allied Control)*, Mar. p.169
 general-purpose, four-pole (Comar Electric)*, Feb. p.164
 high-speed, mercury-contact (Western Electric)*, Aug. p.166
 keying, small (Signal Engineering)*, July p.164
 memory (Phillips Control Corp.)*, June p.172
 motor-starting (RBM Div., Essex Wire)*, Aug. p.164
 multiple-arm (Signal Engineering & Mfg. Co.)*, Aug. p.168
 multipole, magnetic (Square D Co.)*, June p.169
 multi-purpose power (Allied Control)*, Jan. p.159
 photoelectric, modulated light (General Electric)*, Feb. p.167
 plug-in (Grayhill)*, Aug. p.168
 plug-in, high-speed (Stevens-Arnold)*, Mar. p.175
 prevent short cycling, Aug. p.196
 sensitive, low-power (Allied Control Co.)*, Oct. p.140
 single-pole, medium power (Allied Control Co.)*, June p.178
 small size, double-pole double-throw (Struthers-Dunn)*, Nov. p.164
 three-position, polarized (Sigma Instruments)*, Feb. p.164
 time-delay (Torq Electric Co.)*, Nov. p.172
 time-delay, motor-driven (Ward Leonard)*, May p.160
 totally enclosed, low-load (Sigma Instruments)*, Apr. p.182
 voltage, noncreeping (Automatic Switch)*, Aug. p.162
 Release mechanism, ball type, discussion of, Nov. p.95
 Remote control, discussion of (Abstracts)*, Nov. p.206
 Research, its value to the designer, June p.107
 Research preceding design, discussion of, Oct. p.96
 Resins and varnishes, phenolic (General Electric)*, May p.157
 Resistors:
 composition sealed and insulated (Ohmite)*, Jan. p.158
 metallic (Ward Leonard)*, Mar. p.176
 precision, wound type (Shallcross Mfg. Co.)*, Mar. p.171
 temperature-sensitive (General Electric)*, Oct. p.143
 variable, helical spring (Scanning)*, Oct. p.93
 Ring deflection, calculation of, Mar. p.131
 Rings, retaining, spiral (Ramsey Corp.)*, Dec. p.172
 Rivets, tubular, zinc-alloy (Gries Reproducer)*, Oct. p.144
 Road machines feature hydraulic controls, Sept. p.135
 Rocket motors, design problems in, Dec. p.101
 Rocket motors, design of (Abstracts)*, July p.182
 Rockets, V-2, problem of assembly (Abstracts)*, Nov. p.200
 Roll feed device uses wedge action (D.O.M.)*, Oct. p.131
 Roller guide, two way, single element*, Dec. p.184
 Rotating disks, Dec. p.141
 Rototrol speed regulator positions transfer car, May p.144
 Rubber:
 comparison of types, Feb. p.138
 high-tensile, synthetic (Felt Products)*, Oct. p.144
 parts, molded and extruded, design of, Aug. p.115
 permeability of, June p.155
 synthetic, Hycar (B. F. Goodrich Chemical)*, Jan. p.163
 Rzeppa joint, constant velocity type, discussion of, May p.104

S

Saran released as tradename for vinylidene chloride (Topics)*, Feb. p.98
 Scale, dial type, discussion of, Nov. p.149
 Scanner, photoelectric edge-guide (Langevin Mfg. Corp.)*, Sept. p.166
 Screws, adjusting, ball-handled (Ohio Nut & Bolt)*, Aug. p.162
 Screws, flat-head, socket, cap (Holo-Krome)*, Feb. p.166
 Seals: (also see Gaskets):
 guard ring for O-rings (Patents)*, Jan. p.170
 high-temperature, face-type, discussion of, Jan. p.127
 hydraulic, sliding, selection of, Nov. p.139
 rotary and hermetic (Patents)*, Jan. p.170
 rotary, nonlubricated (Durametallic Corp.)*, Sept. p.166
 rotary, shaft, vacuum-pressure (Gits Bros.)*, Dec. p.164
 rotary, tubular rubber element (Patents)*, Dec. p.182
 shaft, have long life (Patents)*, Aug. p.174
 shaft type, flexible (Patents)*, Jan. p.170
 silicone (Abstracts)*, June p.214
 Sector gear noise, reduction of, June p.131
 Selsyns, their utilization in machines, Mar. p.116

* Denotes short articles of less than one page.

Servo motor, minimum rotor inertia (Patents)*, Dec. p.182
 Servo motors and generators (Arma Corp.)*, Sept. p.168
 Servo system, electronic (Askania Regulator Co.)*, May p.157
 Shaft deflection (torsional), calculations (Data Sheet), May p.151
 Shafts, flexible, used in adjustable drive, Apr. p.113
 Shape turning, discussion of, Feb. p.129
 Sheaves:
 adjustable (American Pulley Co.)*, Aug. p.155
 V-belt, pressed steel (Howry-Berg Steel & Iron Works)*, July p.156
 V-belt, tapered-bushing (Browning Mfg. Co.)*, May p.158
 variable-pitch, fractional horsepower (Dodge Mfg. Co.)*, Mar. p.169
 Shock absorber uses compensating weight (Scanning)*, Feb. p.108
 Shock resistance, redesigning for, Aug. p.127
 Shot-peening increases life of gears (Applications)*, July p.150
 Silicone rubbers, applications of (Abstracts)*, June p.212
 Silicone rubbers, discussion of, Feb. p.142
 Silicones as lubricants (Abstracts)*, Feb. p.200
 Slide rule, log-log, all metal (Pickett & Eckel)*, May p.168
 Slide viewer, photographic (D.O.M.)*, Dec. p.151
 Slides, ball bearing, discussion of, Jan. p.138
 Sludge removal by centrifugal force (Patents)*, Dec. p.184
 Socket, electron-tube (American Phenolic)*, Apr. p.186
 Soldering iron chemically heated (Scanning)*, Nov. p.102
 Solenoid, has uniform pull (Patents)*, Mar. p.178
 Solenoids, reciprocating (Trombetta Solenoid)*, June p.176
 Solenoids, rotary, high-torque (G. H. Leland)*, Aug. p.158
 Speed changers, miniature, high-ratio (Metron Instrument)*, June p.182
 Speed recorder uses hydraulic circuit, Apr. p.114
 Speed reducer, right-angle, gear (Michigan Tool)*, May p.157
 Speed reducer, worm gear (Foote Bros.)*, Dec. p.164
 Speed regulator assures accurate positioning, May p.144
 Spindle belt drive, discussion of, Oct. p.108
 Spinners, air-driven, design of, May p.121
 Spline shafts and fittings, broaching of*, Aug. p.102
 Spline shafts, hobs for*, Aug. p.103
 Splines, experience with, discussion of*, Aug. p.102
 Splines, straight-sided, discussion of, Aug. p.101
 Spring acts as variable resistance, (Scanning)*, Oct. p.93
 Springs, protective coatings for, Dec. p.128
 Spot-welder makes wheel welds (D.O.M.)*, July p.148
 Spring design, new approach to, Aug. p.98
 Standards, hydraulic (Data Sheet), Dec. p.155
 Starters, motor, across-the-line (Ward Leonard)*, Dec. p.164
 Starters, motor, magnetic (Penn Electric)*, Oct. p.141
 Starters, motor, magnetic (Ward Leonard)*, Dec. p.170
 Starters, motor, with circuit breakers (Ward Leonard)*, Dec. p.172
 Static eliminator reduces fire hazard (Applications)*, Jan. p.152
 Steel:
 analysis of by radioactive tracing (Topics)*, July p.88
 continuous casting method (Topics)*, Sept. p.96
 high-alloy, discussion of, Jan. p.105
 stainless, acid resisting, No. 20 (Carpenter Steel)*, Mar. p.170
 stainless, standard types listing, Oct. p.281
 stainless, strip (Cold Metal Products)*, Aug. p.168
 stainless, wrought, discussion of Part I—properties and processability, Mar. p.107; Part II—fitting material to the part, Apr. p.174
 mill crane components standardized (Abstracts)*, July p.180
 selection, proper approach to (Abstracts)*, May p.192
 treatment of, Part I—selection, Oct. p.87; Part II—conditioning processes, Nov. p.110
 Stiffening of flat machine panels, discussion of, Aug. p.118
 Stool, drafting (Royal Metal)*, Apr. p.194
 Strain gage, direct-reading (Brush Development)*, May p.166
 Strain gages record machine load (D.O.M.)*, Feb. p.156
 Strainers, fluid (Hays Mfg. Co.)*, July p.160
 Straightedge, parallel-ruling (Engineering Mfg.)*, June p.186
 Stress concentrations in magnesium castings, discussion of (Abstracts)*, May p.196
 Stress corrosion of aircraft parts evaluated (Topics)*, Aug. p.86
 Stresses measured by photoelastic resins (Topics)*, Mar. p.102
 Stresses, trapped, use of in design, July p.114
 Styling of Studebaker, discussion of (Abstracts)*, Nov. p.204
 Switches:
 actuators for (Micro Switch)*, Jan. p.164
 actuators for (Square D Co.)*, May p.155
 automatic transfer (Automatic Switch Co.)*, Mar. p.175
 centrifugal (Euclid Electric)*, Dec. p.172
 door, interlock (Micro Switch)*, June p.174
 double snap-action (Unimax Switch)*, July p.164
 float, tube-enclosed (Hydro-Aire)*, Dec. p.167
 foot, heavy-duty (Naken Engineering)*, July p.160
 heavy-duty, time (Sangamo Electric Co.)*, June p.174
 hydraulic, pressure (Saval Co.)*, July p.166
 limit, rotating cam (Allen-Bradley)*, Dec. p.174
 magnetic proximity (Magneswitch Inc.)*, July p.157
 mercury, hermetically sealed (Mercontrol Inc.)*, Feb. p.167
 motor starting (Fitch, Allen & Co.)*, Nov. p.170
 motor starting, manual (General Electric)*, Nov. p.166
 multiple-contact (Eastern Specialty Co.)*, Sept. p.172
 photoelectric (John T. O'Connor)*, June p.178
 pressure-actuated, latching (Consolidated Vultee Aircraft)*, Oct. p.141
 pressure-actuated machine-tool (Square D Co.)*, Apr. p.186
 pressure, differential (Penn Electric)*, Nov. p.166
 selector, solenoid-operated (G. H. Leland Inc.)*, Jan. p.166
 snap-action (Square D Co.)*, May p.154
 snap-action, high-pressure (Cook Electric)*, Mar. p.154
 snap-action, open-blade (Acro Electric Co.)*, Oct. p.142
 starting, centrifugal (Torq Electric Corp.)*, Aug. p.160
 subminiature, lever type (General Control)*, Dec. p.165
 thermostatic (Burling Instrument)*, Aug. p.162
 thermal limit (Control Products Inc.)*, Mar. p.170
 time (General Electric)*, July p.158
 Synchronizer, power (Taber Associates)*, Apr. p.186
 Synchronous differential, engine synchronizing (Kollsman Instrument)*, Sept. p.166

T

Tachometers:

- adapter (Metron Instrument)*, Feb. p.172
- electric, hand-type (General Electric)*, Mar. p.177
- electric, instrument-board (Metron Instrument)*, Jan. p.159
- electric, panel (Crown Industrial Products)*, Nov. p.170
- head, lightweight (Metron Instrument)*, Aug. p.164
- Temperature measuring device, discussion of (Scanning)*, Oct. p.95
- Temperature pickup, high-output (G. M. Giannini)*, July p.164
- Terminal block, plastic (Curtis Development)*, Mar. p.176
- Terminal, plug-type (Aircraft-Marine Products)*, June p.174
- Terminal strip, fanning (Howard B. Jones Div.)*, Jan. p.160
- Terminals, solderless ignition cable (Aircraft-Marine Products)*, Jan. p.160
- Test data, fatigue, method of obtaining, Oct. p.115
- Testing instruments, impedance-measuring (Sound Apparatus)*, Feb. p.170
- Thermal stresses, Dec. p.104
- Thermostat has no angular motion (Patents)*, May p.174
- Thickness gage uses radioactive isotopes (Scanning)*, July p.100
- Thickness gaging accomplished with x-rays (Scanning)*, May p.100
- Thickness-measuring instrument (Sperry Products Inc)*, May p.168
- Thiokol rubber, discussion of, Feb. p.141
- Time and motion study principles in design, Aug. p.121
- Time control mechanisms, discussion of, July p.132

Timers:

- bell-switch (M. H. Rhodes Inc.)*, Sept. p.172
- coin-operated (American Time)*, Jan. p.162
- electric, adjustable-pulse (R. W. Cramer)*, July p.159
- flash, electric (Haydon Mfg. Co.)*, June p.169
- interval, electronic (Photoswitch Inc.)*, Oct. p.143
- interval, multipurpose (Haydon Mfg. Co.)*, Nov. p.164
- interval, spring-wound (Lux Clock Mfg. Co.)*, July p.161
- manual-reset (George Ulanet Co.)*, May p.162
- manually controlled (Eagle Signal)*, Feb. p.168
- mechanical control (Mechanical Industries)*, Apr. p.184
- percentage (R. W. Cramer Co.)*, Aug. p.160
- pneumatic, ac (Cutler-Hammer Inc.)*, Sept. p.168
- pneumatic, motor-starting (Square D)*, Jan. p.159
- repeat-cycle, (G. C. Wilson & Co.)*, July p.155
- reset, instantaneous (Industrial Timer)*, Sept. p.164

Tires:

- solid rubber (U. S. Rubber)*, Sept. p.168
- tubeless are puncture-proof (Topics)*, Jan. p.98
- Toggle positions washer drain valve (D.O.M.)*, June p.163
- Torque converter drive, discussion of Bulck Dynaflo, Mar. p.122
- Torque converter, single-stage, discussion of, Apr. p.155
- Torque converters used in 1948 Buicks (Topics)*, Feb. p.98
- Torsion bars act as reactor springs (Scanning)*, Aug. p.97
- Torsional deflection of hollow shafts, calculation of (Data Sheet), May p.151
- Torsional vibration-frequency calculation (Data Sheet), Jan. p.153
- Tracing-printing machine (Economy Blue Print)*, June p.184
- Tracta joint, constant velocity, discussion of, May p.105
- Transformer, machine tool (General Electric)*, Feb. p.165
- Transformers, variable, in stress-strain instruments (Scanning)*, Feb. p.110
- Transformers, Variac, high-capacity, (General Radio)*, Mar. p.171
- Transistor serves as amplifier or oscillator (Scanning)*, Aug. 95
- Transmission mounting to absorb shock (Patents)*, Sept. p.178

Transmissions:

- gear-reduction (DoAll Co.)*, Dec. p.172
- hydraulic, with sheave (Twin-Disk Clutch)*, Dec. p.167
- reduction and reversing, gas turbine, in marine propulsion, Feb. p.149
- variable-speed (Speed Selector)*, Aug. p.158
- variable-speed (Sterling Electric)*, Feb. p.167
- variable-speed (U. S. Electric Motors)*, Jan. p.164
- variable-speed, analysis of development, Sept. p.107
- variable-speed, belt (Toledo Timer Co.)*, Mar. p.172
- variable-speed, fluid, symposium on, Apr. p.149
- variable-speed, hydraulic (Rockwell Mfg.)*, Dec. p.168
- variable-speed, hydraulic (Vickers Inc.)*, Jan. p.160
- variable-speed, hydraulic, discussion of Dynaflo, Mar. p.122
- variable-speed, reduction (Lombard Governor)*, Feb. p.168
- variable-speed, uses brush-like gears (Patents)*, June, p.190

Tubing:

- flexible, metallic (Titeflex Inc.)*, Jan. p.166
- plastic, extruded (William Brand)*, Nov. p.170
- thermoplastic, striped (William Brand & Co.)*, Oct. p.140
- reduces weight of lawn mower (Applications)*, Jan. p.152
- Turbine-electric locomotive, discussion of, May p.118
- Turbines, steam, general-purpose (Westinghouse)*, Dec. p.165
- Twin mount 50-caliber gun has high fire power*, Sept. p.127

U

- Universal joint (Curtis Universal Joint Co.)*, June p.170
- Universal joint for hydraulic systems (Patents)*, Feb. p.174
- Unscrambler for bottling machine (Scanning)*, Jan. p.108

V

Vacuum cleaner, evolution of, July p.110

Valves:

- air and hydraulic type (Hanna Engineering)*, Feb. p.164
- air regulating (Hannifin Corp.)*, Mar. p.171
- automatic for fuel pump (Patents)*, July p.172
- automatic, responds to two pressure systems (Patents)*, Nov. p.180
- ball-type (Paul Valve Corp.)*, Aug. p.158

* Denotes short articles of less than one page.

- check, spring (Pokorney Mfg.)*, July p.160
- control, cylinder (Numatics)*, Oct. p.143
- control, overload protection for, Apr. p.180
- diaphragm control (Hammel-Dahl Co.)*, Sept. p.168
- gate, 200 psi (Jenkins Bros.)*, Jan. p.161
- gate, corrosion-resistant (Ohio Injector Co.)*, Oct. p.144
- gate, motor-operated (Hydro-Aire)*, Oct. p.139
- hydraulic, check, nonchattering (Patent)*, May p.174
- hydraulic, constant-flow (Patents)*, Dec. p.182
- hydraulic, foot-operated (Logansport Machine)*, Apr. p.184
- hydraulic, four-way (Knox Industries)*, July p.162
- hydraulic, high-pressure, solenoid (Automatic Switch)*, July p.155
- hydraulic, pressure control, discussion of, Apr. p.105
- hydraulic, regulating and reducing (A. W. Cash)*, Apr. p.192
- hydraulic, relief (Farker Appliance)*, June p.176
- hydraulic, relief, discussion of, May p.129
- hydraulic, selector, cam operated (Electrol Inc.)*, June p.169
- hydraulic selector, 4-way (Adel Precision Prod.)*, Apr. p.188
- hydraulic, shut-off (Greer Hydraulics)*, May p.154
- hydraulic, solenoid operated (Airmatic Valve)*, Apr. p.190
- hydraulic, three-way, solenoid-controlled (Airmatic Valve)*, July p.158
- hydro-pneumatic, flow-control (Pneu-Trol Devices)*, May p.158
- hydro-pneumatic speed-control (Flo-Vel Co.)*, Jan. p.166
- lubricator (Titeflex Inc.)*, Oct. p.141
- motorized (Temperature Control Co.)*, Jan. p.159
- needle (Parker Appliance Co.)*, Aug. p.155
- needle, precision (Carpenter Mfg.)*, July p.159
- obviate accumulators in hydraulic circuit (Patents)*, May p.178
- plug, bronze, corrosion resistant (Ampeco Metal)*, Sept. p.163
- pneumatic, discussion of, June p.120
- pneumatic, fast-cycling (Hannifin Corp.)*, Apr. p.182
- pneumatic, four-way (Crescent Valve Co.)*, Jan. p.162
- pneumatic, three-way (C. B. Hunt & Son)*, Apr. p.188
- pneumatic, three-way (Mead Specialties)*, Dec. p.170
- positive, have no sliding parts (Patents)*, Nov. p.180
- regulating (Dayton Rogers)*, June p.180
- relief, pilot type (Fluid Controls)*, Aug. p.158
- selector, four-way (Saval Co.)*, Oct. p.141
- selector, manual or automatic (Electrol)*, Nov. p.165
- selector, solenoid-operated (Saval)*, Nov. p.165
- solenoid, 150 psi (Johnson Corp.)*, Nov. p.164
- solenoid-controlled (Crescent Valve)*, June p.172
- solenoid, direct-operating (Airmatic Valve)*, June p.178
- solenoid, direct-operating (Allied Control Valve Div.)*, Jan. p.161
- solenoid, four-way (Hanna Engineering)*, Nov. p.165
- solenoid, four-way (Mechanical Air Controls)*, Oct. p.142
- solenoid-operated, control (Johnson Corp.)*, Jan. p.164
- solenoid, self-closing (Hays Mfg. Co.)*, Aug. p.168
- solenoid, three-way (Airmatic Valve)*, Aug. p.164
- speed-control (Galland-Henning Mfg.)*, June p.182
- vacuum-type (Kinney Mfg. Co.)*, Jan. p.163

Variable-speed transmissions (see Transmissions)

- Ventilating system prevents oil leaks (Patents)*, Nov. p.180
- Vibration-controlling mount on 1948 Buick (Scanning)*, Feb. p.109
- Vibration damper for engines (Patents)*, Apr. p.206
- Vibration damper, viscous (Scanning)*, Dec. p.106
- Vibration in high-speed machines, elimination of, Oct. p.118
- Vibration recorder, mechanical, discussion of, Jan. p.133
- Volt-ampere wattmeter (Hickok Electrical)*, Oct. p.146
- Volt-ohmmeter, electric (Hickok Electrical)*, Apr. p.194
- Voltage regulator, electro-mechanical (Superior Electric)*, Jan. p.162
- Voltage regulators, electronic (Superior Electric)*, Feb. p.165
- Voltage stabilizer, automatic (General Electric)*, Dec. p.168
- Voltage stabilizer (Raytheon Mfg.)*, Dec. p.168

W

- Washing machine, discussion of, July p.110
- Watches, stop, precision (Herman H. Sticht)*, Sept. p.176
- Wear measurement, discussion of method (Scanning)*, Mar. p.114
- Wedge, hydraulically-actuated, used for locking shaper head (D.O.M.)*, June p.161
- Welded forgings used for shock absorbers (Applications)*, Mar. p.164
- Welded joint strains, toughness of (Topics)*, Aug. p.86
- Welder has new magnetic circuit (D.O.M.)*, Feb. p.155
- Welding:
 - bulldozer constructed by means of, Jan. p.143
 - designing for, Sept. p.147
 - inert-gas process (Scanning)*, Dec. p.107
 - machine for cylinders, discussion of (D.O.M.)*, Nov. p.154
 - dust shields (Applications)*, Feb. p.158
 - projection, of fasteners*, Aug. p.104
 - seam, in design, Dec. p.115
 - spot, discussion of, Nov. p.127
 - spot, for low-resistance metals (Patents)*, July p.172
 - spot, guns, standardization of*, July p.188
 - rocket motors, of, Dec. p.103
- Wheel alignment adjusted by gage (Scanning)*, Nov. p.101
- Wheel alignment device, discussion of (D.O.M.)*, Oct. p.130
- Wheels, swiveling, reduce aircraft landing problems, (Scanning)*, Sept. p.106
- Wheels, water-tight (Aerol Co.)*, July p.161
- Wire connectors, solderless (Holub Industries)*, Aug. p.170
- Wire, electric, water-resistant (U. S. Rubber)*, Sept. p.168
- Wire fastener (Scanning)*, Dec. p.109
- Wire making, early methods of (Abstracts)*, Nov. p.208

X, Y

- X-ray image amplification, discussion of (Scanning)*, July p.100
- X-ray motion pictures used for inspecting engines (Topics)*, June p.104
- Yarn spinner design, discussion of, Oct. p.108

5

uly

1

162

),

164

),

104

448